	Application No.	Applicant(s)	
Notice of Allowability	10/008,825	PIATT ET AL.	
	Examiner	Art Unit	-
	Stephen M. Brinich	2625	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with (OR REMAINS) CLOSED in the or other appropriate communi GHTS. This application is sub	the correspondence address is application. If not included cation will be mailed in due course. 1	
1. This communication is responsive to <u>Amdt filed 1/24/05</u> .			
2. The allowed claim(s) is/are <u>1-21</u> .			
<ol> <li>Acknowledgment is made of a claim for foreign priority una)</li></ol>	been received. been received in Application I	No	the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4.   A SUBSTITUTE OATH OR DECLARATION must be submit	ENT of this application. itted. Note the attached EXAM	INER'S AMENDMENT or NOTICE C	
INFORMAL PATENT APPLICATION (PTO-152) which give	, , ,	eclaration is deficient.	
5. CORRECTED DRAWINGS (as "replacement sheets") mus			
(a) including changes required by the Notice of Draftspers	•	PTO-948) attached	
1)  hereto or 2)  to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the			•
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT I</li> </ol>			
Attachment(s)			
1. ☐ Notice of References Cited (PTO-892)	5. Notice of Infor	mal Patent Application (PTO-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Sum		
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	8), 7. Examiner's An	il Date nendment/Comment	
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit	8. 🖾 Examiner's St	atement of Reasons for Allowance	
of Biological Material	9.		

Art Unit: 2625

## DETAILED ACTION

## Drawings

1. The replacement drawings were received on 1/24/06. These drawings are acceptable.

## Allowable Subject Matter

2. Applicant's arguments in the Response filed 1/24/06 (page 9, line 19 - page 10, line 31 with respect to claims 1-3, 6-10 & 14-20 have been fully considered and are persuasive. The rejection of claims 1-5, 8, 11-12, & 14 under 35 USC §102, the rejection of claim 13 under 35 USC §103, the rejection of claims 15-20 under 35 USC §112, and the objection to claims 1-7 & 9-10 have been withdrawn.

(Examiner notes that Applicant's arguments do not directly reference dependent claims 4-5 & 11-13. Examiner infers that Applicant considers them allowable for the same reasons advanced re their respective parent claims.)

## Conclusion

3. Any inquiry concerning the contents of this communication or earlier communications from the examiner should be directed to Stephen M. Brinich at 571-272-7430.

Any inquiry relating to the status of this application or proceeding or any inquiry of a general nature concerning application processing should be directed to the Tech Center

Application/Control Number: 10/008,825

Art Unit: 2625

2600 Customer Service center at 571-272-2600 or to the USPTO Contact Center at 800-786-9199 or 703-308-4357.

The examiner can normally be reached on weekdays 7:00-4:30, alternate Fridays off.

The examiner's unit designation has been changed from "Art Unit 2624" to "Technology Division 2625" (as of March 20, 2006).

If attempts to contact the examiner and the Customer Service Center are unsuccessful, supervisor David Moore can be contacted at 571-272-7437.

Faxes pertaining to this application should be directed to the Tech Center 2600 official fax number, which is 571-273-8300 (as of July 15, 2005).

Hand-carried correspondence may be delivered to the Customer Service Window, located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314.

Stephen M Brinich Examiner

Technology Division 2625

Page 3

smb *| 17111*0 April 19, 2006

Hamas OES